

$$A \quad = \quad \{a,b,c\}$$

$$A-\{a\} \quad = \quad$$

$$A \;\; = \;\; \{a,b,c\}$$

$$A-\{a\} \;\; = \;\; \{b,c\} \qquad \qquad \mathscr{P}(A-\{a\}) \;\; = \;\;$$

$$A \;\; = \;\; \{a,b,c\}$$

$$A - \{a\} \;\; = \;\; \{b,c\} \qquad \qquad \mathscr{P}(A - \{a\}) \;\; = \;\; \{\{b,c\}, \{b\}, \{c\}, \emptyset\}$$

$$\begin{array}{l} \{\{a\} \cup C \mid C \in \mathscr{P}(A - \{a\})\} \\ \quad \quad \quad \underline{=} \end{array}$$

$$A \quad = \quad \{a,b,c\}$$

$$A - \{a\} \quad = \quad \{b,c\} \qquad \qquad \mathcal{P}(A - \{a\}) \quad = \quad \{\{b,c\}, \{b\}, \{c\}, \emptyset\}$$

$$\begin{aligned}\{\{a\} \cup C \mid C &\in \mathcal{P}(A - \{a\})\} \\ &= \{\{a,b,c\}, \{a,b\}, \{a,c\}, \{a\}\}\end{aligned}$$

$$\mathcal{P}(A) \quad = \quad$$

$$A = \{a, b, c\}$$

$$A - \{a\} = \{b, c\} \quad \mathcal{P}(A - \{a\}) = \{\{b, c\}, \{b\}, \{c\}, \emptyset\}$$

$$\begin{aligned} \{\{a\} \cup C \mid C &\in \mathcal{P}(A - \{a\})\} \\ &= \{\{a, b, c\}, \{a, b\}, \{a, c\}, \{a\}\} \end{aligned}$$

$$\begin{aligned} \mathcal{P}(A) &= \{\{a, b, c\}, \{a, b\}, \{a, c\}, \{a\} \\ &\quad \{b, c\}, \{b\}, \{c\}, \emptyset\} \end{aligned}$$

$$A = \{a, b, c\}$$

$$A - \{a\} = \{b, c\} \quad \mathcal{P}(A - \{a\}) = \{\{b, c\}, \{b\}, \{c\}, \emptyset\}$$

$$\begin{aligned} \{\{a\} \cup C \mid C &\in \mathcal{P}(A - \{a\})\} \\ &= \{\{a, b, c\}, \{a, b\}, \{a, c\}, \{a\}\} \end{aligned}$$

$$\mathcal{P}(A) = \{\{a, b, c\}, \{a, b\}, \{a, c\}, \{a\}, \{b, c\}, \{b\}, \{c\}, \emptyset\} = \{\{a\} \cup C \mid C \in \mathcal{P}(A - \{a\})\} \cup \mathcal{P}(A - \{a\})$$

$$A = \{a, b, c\}$$

$$A - \{a\} = \{b, c\} \quad \mathcal{P}(A - \{a\}) = \{\{b, c\}, \{b\}, \{c\}, \emptyset\}$$

$$\begin{aligned} \{\{a\} \cup C \mid C &\in \mathcal{P}(A - \{a\})\} \\ &= \{\{a, b, c\}, \{a, b\}, \{a, c\}, \{a\}\} \end{aligned}$$

$$\mathcal{P}(A) = \{\{a, b, c\}, \{a, b\}, \{a, c\}, \{a\} \cup \{b, c\}, \{b\}, \{c\}, \emptyset\} = \{\{a\} \cup C \mid C \in \mathcal{P}(A - \{a\})\} \cup \mathcal{P}(A - \{a\})$$

$$A = \{a, b, c\}$$

$$A - \{a\} = \{b, c\} \quad \mathcal{P}(A - \{a\}) = \{\{b, c\}, \{b\}, \{c\}, \emptyset\}$$

$$\begin{aligned} \{\{a\} \cup C \mid C &\in \mathcal{P}(A - \{a\})\} \\ &= \{\{a, b, c\}, \{a, b\}, \{a, c\}, \{a\}\} \end{aligned}$$

$$\mathcal{P}(A) = \{\{a, b, c\}, \{a, b\}, \{a, c\}, \{a\}, \{b, c\}, \{b\}, \{c\}, \emptyset\} = \{\{a\} \cup C \mid C \in \mathcal{P}(A - \{a\})\} \cup \mathcal{P}(A - \{a\})$$