

## Semester roadmap:

Ch 1 & 2: Raw materials

Ch 3: Formal logic

— Test 1, Sept 27 —

Ch 4: Proofs

Ch 5: Relations

— Test 2, Oct 29 —

Ch 6: Self reference

Ch 7: Functions

— Test 3, Dec 1 —

## Chapter 6 roadmap:

- ▶ Recursive definitions, recursive types (**Today**)
- ▶ Recursive proofs I: Structural induction (Wednesday)
- ▶ Recursive proofs II: Mathematical induction (Friday)
- ▶ Recursive proofs III: Loop invariants (next week Monday and Wednesday)

### Axiom 7

*There exists a whole number 0.*

### Axiom 8

*Every whole number  $n$  has a successor,  $\text{succ } n$ .*

### Axiom 9

*No whole number has 0 as its successor.*

### Axiom 10

*If  $a, b \in \mathbb{W}$ , then  $a = b$  iff  $\text{succ } a = \text{succ } b$ .*

*A whole number is either zero or one more than another whole number.*

Compare to:

*A list is either empty or an element together with its following list.*

5 is a whole number because

5 is a whole number because it is the successor of 4, which is a whole number because


5 is a whole number because it is the successor of  
4, which is a whole number because it is the successor of  
3, which is a whole number because


5 is a whole number because it is the successor of  
4, which is a whole number because it is the successor of  
3, which is a whole number because it is the successor of  
2, which is a whole number because


5 is a whole number because it is the successor of  
4, which is a whole number because it is the successor of  
3, which is a whole number because it is the successor of  
2, which is a whole number because it is the successor of  
1, which is a whole number because


5 is a whole number because it is the successor of  
4, which is a whole number because it is the successor of  
3, which is a whole number because it is the successor of  
2, which is a whole number because it is the successor of  
1, which is a whole number because it is the successor of  
0, which is a whole number by Axiom 7.











Lemmas for addition:

- ▶  $0 + b = b$
- ▶  $a + 0 = a$
- ▶  $a + b = (a + 1) + (b - 1)$

Lemmas for subtraction:

- ▶  $a - 0 = a$
- ▶  $a - b = (a - 1) - (b - 1)$


Lemmas for multiplication:

- ▶  $a \cdot 0 = 0$
- ▶  $0 \cdot b = 0$
- ▶  $a \cdot 1 = a$
- ▶  $a \cdot b = a + (a \cdot (b - 1))$


# Tree

internal node

leaf



# Full Binary Tree




Expression trees:

```
datatype operation = Plus | Minus | Mul | Div;  
datatype expression = Internal of operation * expression * expression  
                    | Leaf of int;
```

$((5 - 7) * ((3 + 2)/8))$

```
val exprExample = Internal(Mul, Internal(Minus, Leaf(5), Leaf(7)),  
                           Internal(Div,  
                                   Internal(Plus, Leaf(3),  
                                           Leaf(2)),  
                                   Leaf(8)));
```





**For next time:**

*Pg 260: 6.2.(6-8, 14-17)*

*Read 6.4*