

Chapter 1 outline:

- ▶ Introduction, sets and elements (last week Wednesday)
- ▶ Set operations; visual verification of set propositions (last week Friday)
- ▶ Introduction to SML; cardinality and Cartesian products (**Today**)
- ▶ Making types in SML (Wednesday)
- ▶ Making functions in SML (Friday)

Today (full agenda):

- ▶ **[Programming]** Introduction to the SML interpreter
- ▶ **[Programming]** Basic programming terminology
- ▶ **[Programming]** Types
- ▶ **[Sets]** Cardinality, disjointedness, partitions
- ▶ **[Sets and Programming]** Tuples and Cartesian products
- ▶ **[Programming]** Type analysis (“afterclass” video)

Which are valid ML types?

`int`

`double`

`char`

`val`

`string`

`real`

`int * int`

`int * char`

Compute the cardinality:

$$|\{1, 2, 3, 4, 5\} \cup \{3, 4, 5, 6\}|$$

$$|[0, \pi) \cap \mathbb{Z}|$$

$$|\textit{FacultyInThisRoom} - \textit{StudentsInThisRoom}|$$

Which are disjoint?

\mathbb{Z} and \mathbb{R}

\mathbb{Z} and \mathbb{R}^-

$[0, 5)$ and $[5, 10)$

Plants and *Fungi*

MathClasses and *CSCIClasses*

DeciduousTrees and *ConiferousTrees*

1.8.1 What is the cardinality of $\{0, 1, 2, \dots, n\}$?

1.8.3 One might be tempted to think $|A \cup B| = |A| + |B|$, but this is not true in general. Why not? (Assume A and B are finite.)

1.8.6 Describe three distinct partitions of the set \mathbb{Z} .

1.9.5 Based on our description of the real number plane as a Cartesian product, explain how a line can be interpreted as a set.

1.9.6 Explain how \mathbb{C} , the set of complex numbers, can be thought of as a Cartesian product.

1.9.7 Any rational number (an element of set \mathbb{Q}) has two integers as components. Why not rewrite fractions as ordered pairs (for example, $\frac{1}{2}$ as $(1, 2)$ and $\frac{3}{4}$ as $(3, 4)$) and claim that \mathbb{Q} can be thought of as $\mathbb{Z} \times \mathbb{Z}$? Explain why these two sets *cannot* be thought of as two different ways to write the same set. (There are at least two reasons.)

```
#1(5, 4) + int(4.0 / 3.1)
```

```
(5 + 7, String.sub("hello", 2))
```


`((1, 2), 5.7, ("A", "x")), 8, "bye")`

For next time:

Watch “afterclass” video about type analysis (pandemic-era)

Find an SML environment that works for you.

Pg 26: 1.6.(1-5)

Pg 32: 1.8.(2, 4, 5)

~~Pg 36: 1.9.(3, 4, 8, 9, 10)~~ (postponed)

Note that the SML problems should be submitted on paper with the rest of the assignment. Submission to the automated grader starts with the assignment due Sept 6.

Skim 1.(10 & 11)