

## Chapter 3 roadmap:

- ▶ Propositions, boolean logic, logical equivalences. **Game 1** (last week Monday)
- ▶ Conditional propositions. **SML** (last week Wednesday)
- ▶ Arguments. **Game 2** (last week Friday)
- ▶ Predicates and quantification. **SML** (Monday)
- ▶ Quantified arguments. **Game 3** (Today)
- ▶ Review for test. (Friday)
- ▶ Test 1. (next week Monday)

## Today:

- ▶ Finish programming examples from last time
- ▶ Think through quantified argument forms
- ▶ Practice verifying validity of quantified argument forms (Game 3)

Project proposal due Monday, Oct 2.

## Common forms for propositions

$$\forall x \in A, P(x)$$

$$\forall x \in A, P(x) \rightarrow Q(x)$$

$$\exists x \in A \mid P(x)$$

### Universal instantiation

$\forall x \in A, P(x)$   
 $a \in A$   
 $\therefore P(a)$

### Universal modus tollens

$\forall x \in A, P(x) \rightarrow Q(x)$   
 $a \in A$   
 $\sim Q(a)$   
 $\therefore \sim P(a)$

### Existential instantiation

$\exists x \in A \mid P(x)$   
Let  $a \in A \mid P(a)$   
 $\therefore a \in A \wedge P(a)$

### Universal modus ponens

$\forall x \in A, P(x) \rightarrow Q(x)$   
 $a \in A$   
 $P(a)$   
 $\therefore Q(a)$

### Existential Generalization

$a \in A$   
 $P(a)$   
 $\therefore \exists x \in A \mid P(x)$

### Hypothetical conditional

Suppose  $p$   
 $q$   
 $\therefore p \rightarrow q$

### Universal generalization

Suppose  $a \in A$   
 $P(a)$   
 $\therefore \forall x \in A, P(x)$

### Hypothetical division into cases

$p \vee q$   
Suppose  $p$   
 $r$   
Suppose  $q$   
 $r$   
 $\therefore r$

### 3.14.4

- a.  $\forall x \in A, P(x) \wedge \sim Q(x)$
- b.  $\forall x \in A, x \in B$
- c.  $\forall x \in B, \sim Q(x) \rightarrow R(x)$
- d.  $\therefore \forall x \in A, R(x)$

### 3.14.5

a.  $\forall x \in A, x \in B$

b.  $\forall x \in B, \sim P(x)$

c.  $\forall x \in A, Q(x) \rightarrow P(x)$

d.  $\therefore \forall x \in A, \sim Q(x)$

(Extra # 1)

(a)  $\forall y \in B, \exists x \in A \mid R(x, y)$

(b)  $\forall x \in A, \forall y \in B, (P(x) \wedge R(x, y) \rightarrow Q(y))$

(c)  $\therefore (\forall x \in A, P(x)) \rightarrow (\forall y \in B, Q(y))$

(Extra # 2)

(a)  $\forall x \in A, P(x)$

(b)  $\forall x \in A, x \in B \vee R(x)$

(c)  $\forall y \in B, Q(y) \vee \sim P(y)$

(d)  $\forall x \in A, R(x) \rightarrow Q(x)$

(e)  $\therefore \forall x \in A, Q(x)$

(Extra # 3)

(a)  $\forall x \in A, P(x) \rightarrow R(x)$

(b)  $\exists x \in A \mid P(x)$

(c)  $\forall x \in A, Q(x) \vee x \in B$

(d)  $\forall x \in A, P(x) \rightarrow \sim Q(x)$

(e)  $\therefore \exists y \in B \mid R(y)$



### 3.14.10

- a.  $\forall x \in A, \exists y \in B \mid P(x, y)$
- b.  $\forall y \in B, Q(y) \vee R(y)$
- c.  $\forall x \in A, y \in B, P(x, y) \rightarrow \sim Q(y)$
- d.  $\exists x \in A \mid S(x)$
- e.  $\therefore \exists y \in B \mid R(y)$

### 3.14.11

- a.  $\forall x \in A, x \in B \wedge x \in C$
- b.  $\forall x \in C, x \in D \vee x \in E$
- c.  $\forall x \in B, x \in D \rightarrow P(x)$
- d.  $\forall x \in B, x \in E \rightarrow Q(x)$
- e.  $\forall x \in B, P(x) \vee Q(x) \rightarrow R(x)$
- f.  $\therefore \forall x \in A, R(x)$

**For next time:**

*Pg 139: 3.14.(6-9)*

*See Canvas for fully-parenthesized versions of Game 3 problems.*