Chapter 6 roadmap:

- Recursive definitions and types (Monday)
- Structural induction (Today)
- ► Mathematical induction (Friday)
- Loop invariant proofs (next week Monday and Wednesday)

Project prototype due Wed, Nov 8


Last time we saw

- ► A recursive definition of whole numbers
- ► A recursive definition of trees, particularly *full binary trees*; a full binary tree is either
 - a leaf. or
 - an internal node together with two children which are full binary trees.

Today we see

Self-referential proofs





While building bigger trees from smaller trees, the number of nodes is (and remains) one more than the number of links. (Invariant)

Theorem 6.1 For any full binary tree
$$T$$
, nodes $(T) = links(T) + 1$.

Let ${\mathcal T}$ be the set of full binary trees. Then, we're saying

$$\forall \ T \in \mathcal{T}, \mathtt{nodes}(T) = \mathtt{links}(T) + 1$$



Theorem 6.1 For any full binary tree T, nodes(T) = links(T) + 1.


Proof. Suppose $T \in \mathcal{T}$. [What is a tree? the definition says it's either a leaf or an internal with two subtrees. We can use division into cases.]

Case 1. Suppose T is a leaf. Then, by how nodes and links are defined, nodes(T) = 1 and links(T) = 0. Hence nodes(T) = links(T) + 1.

Case 2. Suppose T is an internal node with links to subtrees T_1 and T_2 . Moreover, by how nodes and links are defined, links $(T) = links(T_1) + links(T_2) + 2$. Then,

$$\operatorname{nodes}(T) = 1 + \operatorname{nodes}(T_1) + \operatorname{nodes}(T_2)$$
 by the definition of nodes $= 1 + \operatorname{links}(T_1) + 1 + \operatorname{links}(T_2) + 1$ by Theorem 6.1 $= \operatorname{links}(T_1) + \operatorname{links}(T_2) + 2 + 1$ by algebra $= \operatorname{links}(T) + 1$ by substitution

Either way, nodes(T) = links(T) + 1. \square



Theorem 6.1 For any full binary tree T, nodes(T) = links(T) + 1. **Proof.** Suppose $T \in \mathcal{T}$.

Base case. Suppose T is a leaf. Then, by how nodes and links are defined, nodes(T) = 1 and links(T) = 0. Hence nodes(T) = links(T) + 1.

Inductive case Suppose T is an internal node with links to subtrees T_1 and T_2 such that $\operatorname{nodes}(T_1) = \operatorname{links}(T_1) + 1$ and $\operatorname{nodes}(T_2) = \operatorname{links}(T_2) + 1$. Moreover, by how nodes and links are defined, $\operatorname{links}(T) = \operatorname{links}(T_1) + \operatorname{links}(T_2) + 2$. Then,

$$\begin{array}{lll} \operatorname{nodes}(T) &=& 1+\operatorname{nodes}(T_1)+\operatorname{nodes}(T_2) & \text{by the definition of nodes} \\ &=& 1+\operatorname{links}(T_1)+1+\operatorname{links}(T_2)+1 & \text{by the inductive hypothesis} \\ &=& \operatorname{links}(T_1)+\operatorname{links}(T_2)+2+1 & \text{by algebra} \\ &=& \operatorname{links}(T)+1 & \text{by substitution} \end{array}$$

Either way, nodes(T) = links(T) + 1. \square

Let X be a recursively defined set, and let $\{Y, Z\}$ be a partition of X, where Y is defined by a simple set of elements $Y = \{y_1, y_2, \ldots\}$ and Z is defined by a recursive rule.

Examples:

- ▶ X is the let of lists, $Y = \{[]\}$, and $Z = \{a :: rest \mid rest \in X\}$
- $ightharpoonup X=\mathbb{W},\ Y=\{0\},\ \mathrm{and}\ Z=\{\mathrm{succ}(n)\ |n\in\mathbb{W}\}$
- ▶ $X = \mathcal{T}$, Y is the set of leaves, and Z is the set of internals with children $T_1, T_2 \in \mathcal{T}$.

Let X be a recursively defined set, and let $\{Y, Z\}$ be a partition of X, where Y is defined by a simple set of elements $Y = \{y_1, y_2, \ldots\}$ and Z is defined by a recursive rule.

To prove something in the form of $\forall x \in X, I(x)$, do this:

```
Base case: Suppose x \in Y.
I(x)
Inductive case: Suppose x \in Z. [Using x and the definition of Z, find
components a, b, \ldots \in X.
Suppose I(a), I(b), \ldots [The inductive hypothesis]
Use the inductive hypothesis
I(x)
```

Tree	Nodes	Height	Tree	Nodes	Height
•	1	0			
•	3	1		5	2
	5	2		7	2

For next time:

See Canvas for homework problems, based on problems from Section 6.4.

Skim 6.(5 & 6)

Take quiz